



# Little Traverse Bay Bands of Odawa Indians 2015-2018 Youth Outcomes

NPN Chicago August 27, 2019

Angie Woodin Kenneth Dewey Marguerite Grabarek (PIRE) Sean Hanley (PIRE)

Pacific Institute for Research and Evaluation www.pire.org

### **Presentation Overview**

#### Introduction

#### **Underage Drinking**

- consumption
- Risk
- Attitudes
- Access

#### Marijuana

- consumption
- Risk

#### **Prescription drugs**

- consumption
- Risk

#### **Conclusions**



### **Survey Results**

Nish Fish Presentation only addressed about 15-25 youth


Survey results for ~125 youth in 3 counties

So not reflect outcomes from Nish Fish program


Will launch evaluation of Nish Fish in September 2019

### LTBB PFS Alcohol Evaluation Logic Model


(ends 9/2019)




# LTBB 12-17 year olds: Past month use and Binge, up since 2015, but down from 2012




# LTBB 2015-2018: Any past <u>year</u> use by 12-17 year olds down, but binge was up. Steady for 12-13 year olds




# LTBB self, peer & parent attitudes: Wrong to drink regularly - mixed 12-13 & 14-17 year olds



## LTBB Perception of Risk 2015-2018 dropping: Regular alcohol use & binge drinking ages 12-17



### Access to Alcohol (if used): ages 12-17




### Marijuana: 2012-2017

### Marijuana


- Consumption
- Perception of Risk
- Attitudes
- Access

### LTBB PFS Marijuana Evaluation Logic Model


ends 9/2019




# LTBB Consumption of marijuana: ~same for 12-13 year olds, but up for 14-17 year olds




### LTBB MJ perception of risk: 12-17 years olds dropping




## Attitudes toward Marijuana use: Self attitudes mostly mirror perception of friends' attitudes




### Parent Attitudes toward Marijuana use: dropped for 12-13, and lower, but steady for 14-17



## Attitudes toward LTBB Marijuana use: 12-17 year olds Approval up from 2015, but down from 2017



#### LTBB Youth Marijuana access if used: ages 12-17




### LTBB SPF-Rx Misuse Prevention Evaluation Logic Model


(received fall 2016, ends 9/2021)

Intervening **Strategies** Consumption Consequences Variables Pharmacy bags w info about disposal sites Rx related ER Access visits Past 30 day Rx lock boxes, deterra bags use Clinic policies Moosetrack Media/Social Peer, parent, own Past year Rx use Marketing/ Fact Sheets attitudes towards misuse Rx related **Deaths** Paddle Into New Generations & Low Perception of risk Nish Fish from Rx misuse


# Use of Rx drugs without a script: 12-13 year olds-pain relievers up; pain and sedatives down for 12-17 year olds but trangs/anti-anxiety drugs up




## Past Year use of Rx drugs without a script: up for all types for 12-17 year olds, except drop for sedatives




# Perception of risk of use of Rx drugs without a script going up for 12-17 year olds




# Attitudes towards Rx drugs without a script: improving or steady for 12-13 year olds; Mixed for 14-17 year olds





# 12-17 year olds access to Rx drugs if used without a script: big drop for home w/o permission & from friends and relatives



### Conclusions

#### **Underage Drinking**

- In 2018, Past 30-day alcohol and binge drinking among 12-17 year olds was up since 2015.
- In 2018, Past 30-day use among 14-17 year olds was half of what it was in 2012. (no data for 12-13 year olds in 2012)
- Youth less likely to think it is wrong to drink regularly in 2018 vs. 2015.
- Similar drop in perception of risk of harm from regular use of alcohol among 12-17 year olds

#### Marijuana

- 2015-2018: Consumption rates low and steady for 12-13 year olds, but up for 14-17 year olds
- About 75% of 12-17 year olds who used marijuana got it from friends

#### Prescription drugs without a script

- Decreases in Pain meds and sedatives w/o script, but increase in tranquilizers/anti-anxiety drugs
- Big decreases in access through friends/relatives and home w/o permission

### **Caveats**

Drop in LTBB Perception of risk of harm from underage drinking and marijuana use similar to high school data (Michigan Profile for Healthy Youth), but American Indian students more likely to think risky

LTBB youth spread throughout 3 county target area, and embedded in majority culture.

Michigan now has both medical marijuana and adult regulated marijuana

### **Contacts**

Angie Woodin awoodin@Itbbodawa-nsn.gov (213) 242-1649

Kenny Dewey kdewey@Itbbodawa-nsn.gov (213) 242-1771

Marguerite Grabarek mgrabarek@pire.org (919) 265-2646

Sean Hanley
<a href="mailto:Hanley@pire.org">Hanley@pire.org</a>
(919) 265-26